

INDEX MAPS.

T. 38 N. R. 3 W. 2nd Mer.

	6	5	4	3	2	1
			State Line			
	7	8	9	10	11	12
215	234	229	225	222	219	213
	233	233	228	225	222	218
214	18	233	17	228	16	225
	232	232	228	224	221	218
214	19	231	20	227	21	224
	231	231	227	223	220	217
214	30	230	29	227	28	223
	230	229	226	223	219	216
213	31	229	32	226	33	222
	210	210	209	209	208	208

T. 29 N. R. 4 W. 2nd Mer.

	244	244	243	243	243	242
246	6	261	5	257	4	254
	261	261	257	254	251	248
245	7	261	8	257	9	254
	260	260	256	253	250	248
245	18	260	17	256	16	253
	260	259	256	253	250	247
245	19	259	20	256	21	253
	259	259	256	253	250	247
244	30	258	29	255	28	252
	258	258	255	252	249	246
244	31	257	32	255	33	252
	240	239	239	238	238	238

The figures on the lines refer to the page.

C. L.

South Boundary.

Var. 5° 40' E.

- West On the S. side of Sec. 36,
4.92 To W. boundary, T 28 N, R 3 W 6 ch. 5th, South
old temporary town cor. - set post cor. of
T. 28 N, R 3 & 4 W, from which
a Hickory 10 in. dia. bears S 46° W 34th,
& a W. Oak 12 " " " S 51° E 66 "
- 17.00 Entered a prairie (mostly dry)
24.00 To a sluggish stream 150th, wide and N
called, the Montmorong
40.00 Set the Dr. Sec. cor. post from which
a W. Oak 24 in. dia. bears N 85° E 472th,
& a Br. Oak 10 " " " N 15° E 397 "
- 80.00 Set a post cor. to sec. 35 & 36
where raise a mound
Land gently rolling & 1st rate & oak timber

- West On the S. side of Sec. 35
31.00 Leave the prairie
32.13 To a W. Oak 12 in. dia. in the hie,
40.00 Set a post cor. to 1/4 sec. cor. from wh,
a W. Oak 30 in. dia. bears N 46° W 119th,
& a Do. 12 " " " N 24° E 222 "
- 62.00 Entered a prairie rather wet,
80.00 Set a post cor. to sec. 34 & 35 from wh,
a W. Oak 6 in. dia. bears N 20° E 746th,
& a W. Oak 20 " " " N 45° E 618 "
Land &c. is much as before,

- West On the S. side of sec. 34
24.83 To a W. Oak 20 in. dia. in the hie,
40.00 Set the gr. sec. cor. post from which
a W. Oak 10 in. dia. bears N 89° W 747th,

T. 29 N. R. 4 W. 2nd, New. Ind^a

6 S. & a Y. Oak 12 in. dia. bears N 85° W 790 ft.
 80.00 Leave prairie & set a post cor. to sec. 33 & 34
 a W. Oak 20 in. dia. bears N 74° E 169 ft.
 & a Do. 20 " " " N 74° W 164 "
 Land low & mostly prairie & some scattered
 big Oaks &c

West On the S. side of Sec. 33
 5.42 To old post cor. sec. 34. T 28. as good
 luck would have it I intersected only 2 ft.,
 North of the corner, no old line run E,
 from this corner as represented on the diagram
 sent to me from your office,

5.60 To post set as cor. to sec. 33 & 34 & 29 N.
 40.00 Set the Dr. sec. cor. post from which
 a W. Oak 20 in. dia. bears N 78° E 98 ft. dia.
 & a Do. 20 " " " N 41° W 29 " "

45.00 To a road cr. N.W. & S.E. leading from
 Lafayette to Michs City.

80.00 Set a post cor. to sec. 32 & 33 from wh
 a Y. Oak 9 in. dia. bears N 102° E 172 ft. dia.
 & a W. Oak 9 " " " N 34° W 223 " "
 Land gently rolling, soil 2nd rate &
 the timber Oak &c

West On the S. side of Sec. 32

40.00 Set the Dr. sec. cor. post from which
 a Y. Oak 10 in. dia. bears N 78° E 122
 & a Do. 9 " " " N 59° W 139 ft.

48.00 Enter a meadow

87.00 Leave the same

61.91 To a Y. Oak 9 in. dia. in the line,

80.00 Set a post cor. to sec. 31 & 32
 a W. Oak 18 in. dia. bears N 45° E 10 ft. dia.

240

T. 29 N. R. 4 W. 2nd. New Ind.^a

6. L. 1/2 a W. Oak 18 in. dia. bears N 86 W 95 the int.
Land rather level soil poor timber Oak,

Meet On the S. side of Sec. 31.
18.57 To a W. Oak 18 in. dia. in the line,
20.00 Enter a mark
40.00 Set the Dr. Sec. cor. post. from which
a G. Oak 7 in. dia. bears S 52 E 510 the int.
no other near
82.00 Set a post cor. to Town 29 N. R. 4 W 5 W
aspen 10 in. dia. bears S 52 E 465 the int.
1/2 a Do. 12 " " " N 86 W 747 " "
Land is mostly marsh soil poor &
the timber is Oak & aspen & scattering
(Var. 5° 40' E.) Dec. 14th 1833,
Surveyed by Sylvester Akley, Jr. Sur.

East Boundary.
(Var. 5° 30' E.)

North On the E. side of Sec. 36,
15.00 To a bend of a creek 70 lbs. wide on SW
27.82 To a W. Oak 22 in. dia. in the line,
40.00 Set the Dr. Sec. cor. post. from which
a Br. Oak 9 in. dia. bears S 12 W 78 lbs.
1/2 a Do. 9 " " " S 37 E 134 "
44.50 To a Creek 70 lbs. wide on SW
55.00 " the same " " " S. E.
71.00 Enter a wet prairie
80.00 Set a post cor. to Sec. 25 & 36,
a W. Oak 10 in. dia. bears N 27 W 245 lbs.
1/2 a Do. 20 " " " S 82 E W 386 "
Land level soil good & the timber is
is W. G. & Br. Oak & —

T. 29 N. R. 4 W. 2^d Mer. Ind.^a

Co. L.	On the E. side of sec. 25
North	
2.00	Leave the wet prairie
6.30	To a G. Oak 28 in. dia. in the line,
33.00	Enter a wet prairie
40.00	Set the gr. sur. cor. post from which
	a G. Oak 20 in. dia. bears N 31½ E 522 lks,
	& a Do. 10 " " " N 65 E 568 " 2nd,
62.00	Leave the wet prairie
74.00	To a G. Oak 18 in. dia. in the line,
75.50	Enter a wet prairie
80.00	Set a post cor. to sec. 24 & 25 from wh.
	a W. Oak 28 in. dia. bears S 27 W 592 lks,
	& a G. Oak 18 " " " South 498 "
	Land & timber is much the same as last

North	On the E. side of sec. 24
40.00	Set the gr. sur. cor. post from which
	a G. Oak 18 in. dia. bears N 38½ E 463 lks
	& a Do. 14 " " " N 4 E 538 "
45.00	Leave the wet prairie
50.00	Enter same prairie
60.00	Leave the same
68.00	Enter same
80.00	Set a post cor. to sec. 13 & 24 from wh.
	a W. Oak 10 in. dia. bears N 82 E 446 lks,
	& a Do. 28 " " " N 38½ W 593,
	Land is mostly wet prairie on E. side
	grand prairie timber scatt. G. Oak -

North	On the E. side of sec. 13,
31.00	Leave the wet prairie
39.00	Enter " same do.
40.00	Set the gr. sur. cor. post from wh.
	a G. Oak 18 in. dia. bears N 80 W 412 lks,

T. 29 N. R. 4 W. 2nd Mer. Ind. 9

60.00 To a G. Oak 6 in. dia. bears S 34° W 155 lbs,
 59.00 Leave the wet prairie
 80.00 Set a post cor. to sec. 12 & 13 from which
 a G. Oak 18 in. dia. bears N 41° W 42 lbs,
 & a Do. 16 " " " S 28° W 16 " dia.
 Land &c is same as on last mile,

North On the E. side of sec. 12,
 22.31 To a W. Oak 10 in. dia. in the line,
 40.00 Set the gr. sec. cor. post from which
 a G. Oak 20 in. dia. bears S 66° W 30½ lbs,
 & a W. Oak 10 " " " N 11° W 107 "
 49.02 To a W. Oak 10 " " in the line,
 55.00 Enter a wet prairie
 80.00 Set a post cor. to sec. 14 & 12,
 a G. Oak 10 in. dia. bears N 34° E 589 lbs,
 & a Do. 8 " " " N 54° E 645 "
 Land &c is same as on last mile,

North On the E. side of sec. 1
 21.00 Leave the wet prairie
 34.00 Enter a " Do,
 40.00 Set the gr. sec. cor. post from which
 a W. Oak 20 in. dia. bears S 89° W 243 lbs dia.,
 & a Do. 10 " " " S 63° W 306 " "
 80.00 To the tempy. town corner,
 Land is mostly wet prairie. (Var. S. 30° E.)
 Dec. 9th 1833.

Surveyed by -
 Sylvester Steley D. S.

North Boundary.

Var. S. 30° E.

West On the S. side of sec. 36 S. 30° N. 4° W

T. 29 N. R. 4 W. 2nd Mer. Ind.

6.25 Leave the wet prairie
 35.00 To a G. Oak 20 in. dia. in the line,
 39.18 set the 2nd sec. cor. post from which
 40.00 a W. Oak 9 in. dia. bears N 18° W 260 yds.
 La Do. 22 " " " N 70° E 90 "
 55.96 To a G. Oak 18 " " in the line,
 80.00 set a post cor. to sec. 35 & 36 from wh.
 a W. Oak 9 in. dia. bears N 81° E 85 yds. dia.
 La G. Oak 12 " " " West 672 " "
 Land rolling soil good & the timber Oak.

West On the S. side of sec. 35 T 30 N R 4 W
 6.72 To a G. Oak 18 in. dia. in the line,
 12.00 Enter a dry prairie
 40.00 Set the 3rd sec. cor. post from which
 a Br. Oak 9 in. dia. bears N 88° E 297 yds.
 a W. Oak 20 " " " N 11 3/4° W 410 "
 80.00 set a post cor. to sec. 34 & 35 from wh.
 a B. Oak 24 in. dia. bears N 74° W 409 yds.
 La Do. 12 " " " N 89 1/2° W 475 "
 Land is mostly dry prairie soil 1st rate &
 there are a few Oaks on E. E. —

West On the S. side of sec. 34 T 30 N R 4 W
 40.00 set a post for 4th sec. & raise a mound
 61.50 To a sluggish stream 300 yds. wide with
 80.00 set a post cor. to sec. 33 & 34 in prairie
 where raise a mound,
 Land is rolling & 1st rate prairie

West On the S. side of sec. 33 T 30 N R 4 W
 40.00 set 3rd post in prairie & raise a mound
 80.00 set a post in do. cor. sec. 32 & 33 & raise do.
 Land all prairie as before

244

T. 29 N. R. 4 W 2nd Mer. Ind. a

C. L.
Wet On the S. side of sec. 32 T 30 N R 4 W
40.00 Set the 2nd sec. cor. post in prairie
where raise a mound,
80.00 Set a post cor. to sec. 31 & 32
where raise a mound,
Land all prairie, as last

West On the S. side of sec. 31 T 30 N R 4 W
40.00 Set the gr. sec. cor. post in prairie
where raise a mound
82.54 To the W. boundary, 9.38 hrs. South of
Lemp. post Set post cor. Towns 29 & 30 N
Ranges 4 & 5 W from which, no bearing,
being in prairie & Raise a mound
Land all prairie as before
(Var. S. 30 E.) Sec. 10th 1833.
Surveyed by - Sylvester Sibley D. C.

West Boundary.

(Var. S. 35 E.)

North On the E. side of sec. 36 T 29 N R 5 W
4.00 Enter a wet prairie
33.00 Becomes dry
40.00 Set the 2nd sec. cor. post from which
a G. Oak 6 in dia, bears $S\frac{1}{2}W$ 945 hrs,
& no other near,
80.00 Set a post cor. to sec. 25 & 36
a W Oak 10 in dia, bears $S 66\frac{1}{2} E$ 521 hrs,
& a G. Oak 6 " " $N 57\frac{1}{2} W$ 570 "
Land level $N\frac{1}{2}$ is 1st rate dry prairie

North On the E. side of sec. 25 T 29 N R 5 W
6.00 Leave the prairie
10.49 To a G. Oak 9 in dia, in the line,

T. 29 N. R. 4 W. 2nd Mer. Ind^a.

6.00	To a Road corner NW & SE
12.00	Entered a wet prairie
22.00	Set a q. reg. cor. post from which
40.00	an Aspen 9 in. dia. bears S 34° E 877 ft. No other near
80.00	Set a post cor. to sec. 24 & 25 from which a G. Oak 9 in. dia. bears N 38° E 132 ft. dia. La W. Oak 6 " " " N 89° E 282 " . Land is mostly wet prairie & the timber is scattering Oak &c
North	On the E. side of sec. 24 T. 29 N. R. 5 W
40.00	Set the q. reg. cor. post from which a G. Oak 18 in. dia. bears North 80° E 807 ft. La No 20 " " " N 62° E 795 "
46.00	Entered a dry prairie
80.00	Set post in same & Raise Mound corner to sections 13 & 24 — Land level & SE is poor & the timber is scattering Oak, W & 1 st rate prairie
North	On the E. side of sec. 13 T. 29 N. R. 5 W
40.00	Set the q. reg. cor. post & Raise a mound
80.00	Set a post cor. to sec. 12 & 13 in prairie where raise a mound, Land level & dry prairie & the soil is first rate, &c
North	On the E. side of sec. 13 T. 29 N. R. 5 W
40.00	Set the q. reg. cor. post in prairie where raise a mound
80.00	Set post cor. to sec. 14 & 12 in prairie where raise a mound Land prairie same as before

246

T. 29 N. R. 4 W. 2^d Mer. Ind. 9

C. L.
North On the E. side of sec. 1 T. 29 N. R. 5 W
40.00 Set the gr. sec. cor. post in prairie
where raise a mound
80.00 Set a tempy. town corner,
Land prairie as before (Var. 5.35 E.)
Dec. 11th 1833, Surveyed by
Sylvester Sibley, Dep. Sur,

Subdivisions. -

North Between sections 35 & 36
40.00 Set the gr. sec. cor. post in prairie
where raise a mound
80.00 Set a post cor. to sec. 25, 26, 35 & 36
where raise a mound
Land first rate prairie & grass
drop in west, the chip growth

East On Random between sec. 25 & 36
81.15 To the E. line of sec. 18 th. N. of post,

West Correct the line between sec. 25 & 36
16.65 To the left bank of Metemenong creek
200 th. wide cr. South.
22.00 To the W. edge of prairie.
40.5 $\frac{1}{2}$ Set the gr. sec. cor. post for, which
raise a mound in the prairie
81.15 Set post cor. sec. at mound

North Between sections 25 & 26.
40.00 Set the gr. sec. cor. post in prairie
where raise a mound
80.00 Set a post cor. to sec. 23, 24, 25 & 26
where raise a mound,
Land level & first rate prairie.

Co. L, East	On Random between secs. 24 & 25 81.00 To the E. line of sec. 65 1/2 m. S. of post,
West	Correct the line between secs. 24 & 25 40.55 set the gr. sec. cor. post from which a Br. Oak 18 in. dia. bears S 88 E 91 0 m., no other tree near
48.79	To Metomung ck. 200 m. wide cor. S,
81.10	To the section's corner, Land level & mostly dry prairie 1.25,
North	Between sections 23 & 24 40.00 Set a gr sec. cor. post in prairie where raise a mound
80.00	Set a post cor. to sec. 13, 14, 23 & 24 where raise a mound Land level & first rate prairie
East	On Random between sec. 13 & 24 80.00 To the E. line of sec. 140 m. S. of post,
West	Correct the line between sec. 13 & 24 40.00 set the gr. sec. cor. post in prairie where raise a mound
65.00	To Metomung ck. 200 m. wide cor. S,
80.00	Set a post cor. to sec. 13, 14, 23 & 24 in prairie where raise a mound Land first rate & the greater part is dry prairie
North	Between sections 13 & 14 39.00 To Monong course South,
40.00	Set the gr. sec. cor. post from which a W. Oak 24 in. dia. bears N 75 E 65 1/2 m.,

T. 29 N. R. 4 W. 2nd Mer. Ind. ²⁴⁸

Col. 1
80.00 La W. Oak 18 in. dia. bearing N 57 E 66 7 ft.,
Set a post in mound at cor. sec. 11, 12, 13 & 14
Land level & fertile prairie

East On Random between sec. 12 & 13
79.50 To the E. line of sec. 10 & 11, S. of path

West Correct the line between sec. 12 & 13
39.75 Set the gr. sec. cor. post from which,
no bearings - raise a mound
79.50 To the returning corner,
Land all dry prairie -

North Between sections 11 & 12
40.00 Set the 2nd sec. cor. post from which
a B. Oak 20 in. dia. bearing N 2 W 17 40 ft. dia.
La Do. 20 " " " N 1 E W 17 60 " "
80.00 Set a post cor. to sec. 1, 2, 11 & 12 from wh.,
a B. Ash 24 in. dia. bearing S 66 W 17 4 ft.,
La Do. 24 " " " S 66 1/2 W 23 1 "
Land generally dry prairie some
groups of B & W Oak &c

East On Random between sec. 1 & 12
80.04 To the E. line of sec. 6 ft. S. of path

West Correct the line between sec. 1 & 12
40.02 Set the 2nd sec. cor. post from which
a W. Oak 12 in. dia. bearing S 80 E 80 4 ft.,
No other tree
80.04 To the returning corner,
Land level & greater part dry prairie
a few trees & flag swamps

C. L.
 North Between sections 1 & 2,
 40.00 Set the gr. sec. cor. post from wh.
 a B. Oak 24 in. dia. bears $N 20 \frac{1}{2}^{\circ} W 44$ lbs.
 & a W. Oak 20 " " " $N 45^{\circ} E 93$ "
 45.57 To a B. Oak 18 " " in the line
 72.59 To the N. line of sec. (N. boundary)
 76 lbs. E. of post from which
 a W. Oak 24 in. dia. bears $N 10^{\circ} W 99$ lbs.
 & a Do. 12 " " " $N 46^{\circ} E 125$ "
 Land level dry bearing & the timber
 is B & W. Oak May 29th 1834.

North Between sections 34 & 35
 40.00 Set the gr. sec. cor. post from wh.
 no bearings - but raise a mound
 80.00 Set a post cor. to sec. 26, 27, 34 & 35
 a B. Oak 12 in. dia. bears $N 77^{\circ} W 340$ lbs.
 & a Bur. Oak 24 " " " $S 53^{\circ} W 333$ "
 Land level & mostly dry prairie
 & small groves of Bl & Br. Oak &c

East On Random between sec. 26 & 35
 80.79 To the E. line of sec. 95 lbs. N. of post,

West Correct the line between sec. 26 & 35
 40 & 39 $\frac{1}{2}$ Set the gr. sec. cor. post from which
 no bearings, in a mound,
 80.79 To the sections corner,
 Land rolling & dry prairie,

North Between sections 26 & 27
 40.00 Set gr. sec. cor. post in prairie
 where raise a mound
 80.00 Set a post cor. to sec. 22, 23, 26 & 27

T. 29 N. R. 4 W. 2nd Mer. Ind.^a

C. L.

where raised a mound. Land dry
rolling prairie & 2nd rate. -

East On Random between sections 23 & 26
81.25 To the E. line of sec. 27 ths. S. of post

West Correct the line between sec. 23 & 26
40.62 $\frac{1}{2}$ at the Dr. sec. cor. post from which
no bearings. - Raise a mound in pr.
Land level & mostly dry prairie

North Between sections 22 & 23,
40.00 at the Dr. sec. cor. post, Raise a mound
80.00 Set a post cor. to sec. 14, 15, 22 & 23 in prairie
where raise a mound, in Dr.
Land level principally dry prairie &
second rate land,

East On Random between sec. 14 & 23,
81.63 To the E. line of sec. 8 ths. S. of post

West Correct the line between sec. 14 & 23,
40.00 at the gr. sec. cor. post & raise mound
81.63 To the sections corner,
Land level & greater part dry prairie

North Between sections 13 & 14
40.00 Set the gr. sec. cor. post in prairie
where raise a mound
80.00 Set a post cor. to sec. 10, 11, 14 & 15,
where raise a mound in prairie
Land level & 2nd rate prairie.

East On Random between sec. 11 & 14

T. 29 N. R. 4 W. 2nd Mer. Ind^s

Co. L.
 39.00 To Metamunong ck. 5 chs. wide en. S. E
 49.95 To the E. line of sec. 24 Mer. N. of post

West Correct the line between sec. 11 & 14
 39.97 $\frac{1}{2}$ Set the gr. sec. cor. post from which
 no bearings - post being in Metamunong
 creek 5 chs. wide en. S. E,
 49.95 To the section corner, Land level
 & chiefly 2nd rate prairie

North Between sections 10 & 11
 40.00 Set the gr. sec. cor. post in prairie
 where raised a mound,
 53.50 To Metamunong 5 chs. wide en. S. E.
 80.00 Set a post cor. to sec. 2, 3, 10 & 11 -
 a B. Oak 24 in. dia. bears N 21 $\frac{1}{2}$ W 136 $\frac{1}{2}$ ft
 & a Br. Oak 18 " " N 86 $\frac{1}{2}$ E 122 "
 Land 3rd rate & park prairie & park
 thinly timbered, with Br. W & B Oak &

East On Random between sec. 2 & 11
 79.67 To the E. line of sec. 35 Mer. S. of post

West Correct the line between sec 2 & 11
 11.52 To a B. Oak 20 in. dia. in the line,
 39.83 $\frac{1}{2}$ Set the gr. sec. cor. post from which
 a W. Oak 30 in. dia. bears N 88 $\frac{1}{2}$ W 358 $\frac{1}{2}$ ft
 & a Do. 20 " " " N 86 $\frac{1}{2}$ W 386 "
 54.48 To a W. Oak 20 " " in the line,
 79.67 To the section corner,
 Land level & dry barrens & the timber
 is Black & White Oak &

North Between sections 2 & 3. (2 & 3.)

252

T. 29 N. R. 4 W. 2nd, Nov. Ind.

C. S.
40.00 Set the gr. section cor. post in mound
73.63 To the N. line of sec. 84 $1/2$ M. E. of post
where set post cor. sec. 27 & 3
a B. Oak 24 in. dia. bears $S 87^{\circ} W 57$ M.,
no other tree given
Land level wet & principally prairie
May 30th 1834 —

North Between sections 33 & 34
20.90 To a Hickory 20 in. dia. in the line,
40.00 Set a gr. Sec. cor. post in water
where raise a mound
80.00 Set a post cor. to sec. 27 & 28, 33 & 34
a B. Oak 20 in. dia. bears $N 10^{\circ} E 132$ M.,
La No. 20 " " " $S 16^{\circ} E 220$ "
Land 3/4 rate barney & the timber
is scarce of B & W. Oak &c

East On Random between sec. 27 & 34
80.50 To the E. line of sec. 10 $1/2$ M. S. of post

West Correct the line between sec. 27 & 34
40.25 Set the gr. sec. cor. post in a mound
80.50 To the sec. corner,
Land generally wet. & prairie 3/4 rate

North Between sections 27 & 28,
40.00 Set the gr. sec. cor. post from which
a B. Oak 18 in. dia. bears $N 21^{\circ} E 239$ M.,
& no other given
46.93 To a B. Oak 18 in. dia. in the line,
80.00 Set a post cor. to sec. 21, 22, 27 & 28,
where raise a mound,
Land generally wet prairie,

T. 29 N. R. 4 W. 3rd Mer. Ind^a

Co. S, East 80.00	On Random between sections 22 & 27 To the E. line of sec. 93 ths. N. of post
West 40.00 80.00	Correct the line between sec. 22 & 27 Set the 2 nd sec. cor. post in mound To the sections corner, Land level & first rate prairie,
North 40.00 80.00	Between sections 21 & 22 Set the gr. post in a wet prairie where raise a mound. Set a post cor. to sec. 15. 16. 21 & 22 in prairie - & Raise a mound Land level & greater part wet prairie
East 80.25	On Random between sections 15 & 22 To the E. line of sec. 47 ths. E. of post
West 40.12 80.25	Correct the line between sec. 15 & 22 & set the gr. sec. cor. post in prairie where raise a mound To the sections corner, Land dry level & prairie,
North 40.00 80.00	Between sections 15 & 16, Set the gr. sec. cor. post in prairie where raise a mound Set a post corner to sec. 9. 10. 15 & 16 in prairie where raise a mound Land sec ^d rate prairie, Mud, 5th, prairie well & Robin weed &c
East 81.63	On Random between sections 10 & 15 To the E. line of sec. N. of post 20 ths. 20

T. 29 N. R. 4 W. 2nd. New. Ind.^a

254

~~C. L.
West~~ Correct the line between Secs. 10 & 15
40.81 $\frac{1}{2}$ Set the gr. sec. cor. post in a mound
81.63 To the sections corner,
Land level & first rate prairie

West Correct the line between Secs. 10 & 15
40.81 $\frac{1}{2}$ Set the gr. sec. cor. post in prairie
where raise a mound
81.63 To the sections corner,
Land level & first rate prairie

North Between sections 9 & 10
40.00 Set the Dr. sec. cor. post in mound
80.00 Set a post cor. to Secs. 3, 4, 9 & 10 in prairie,
where raise a mound
Land level & first rate prairie

East On Random between Secs. 3 & 10
80.31 To the E. line of sec. 22 $\frac{1}{2}$ M. S. of post,

West Correct the line between Secs. 3 & 10
40.15 $\frac{1}{2}$ Set the Dr. sec. cor. post in a creek
Metamung. cr. S. to. - no bearing,
80.31 To the sections corner,
E $\frac{1}{2}$ mile level & a few trees & the
timber is Br. & W. Oak &c, W $\frac{1}{2}$ mile
is first rate prairie,

North Between sections 3 & 4
40.00 Set gr. sec. cor. post in mound
73.15 To the N. boundary of Town. 18 $\frac{1}{2}$ M. E.
of post, & set post in mound
Land first rate prairie,
May 31st 1834 -

T. 29 N. R. 4 W. 3rd. Mon. Ind.

Co. L, North	Between sections 32 & 33.
11.24	To a Road from Lafayette to LaPorte or Muskegon city cor. S.E. & N.W.
14.36	To a B. Oak 24 in. dia. in the line
40.00	Set the gr. sec. cor. post from which a B. Oak 12 in. dia. bears N 27 E 140 lks, La Do. 10 " " " N 10 W 185 "
80.00	Set a post cor. to sec. 28, 29, 32 & 33, a B. Oak 12 in. dia. bears S 44 E 26 lks, La Do. 24 " " " N 70 W 34 " Land rolling barren & the timber is scarce of B. & W. Oak &c
East 80.57	On Random between sec. 28 & 33 To the E. line of sec 46 lks. N. of post
West 40.29	Correct the line between sec 28 & 33 Set the gr. sec. cor. post from which a B. Oak 20 in. dia. bears N 13 E 90 lks, La Do. 24 " " " S 60 W 73 "
43.02	To a B. Oak 36 " " in the line,
50.79	" a W. Oak 12 " " " " "
80.57	To the sections corner, Land level wet heavy & the timber is B. & W. Oak &c
North 40.00	Between sections 28 & 29 Set the gr. sec. cor. post from which a B. Oak 12 in. dia. bears N 43 E 17 lks, La an Aspen 12 " " " S 53 E 178 "
80.00	Set a post cor. to sec. 20, 21, 28 & 29 a B. Oak 20 in. dia. bears N 86 E 29 lks, La Do. 24 " " " N 57 E 209 " Land level wet prairie

T. 29 N. R. 4 W. 2nd Mer. Ind. -

256

East On Random between sec. 21 & 28
80.41 To the E. line of sec. 16 th. S. of post,

West Correct the line between sec. 21 & 28.
40.20 $\frac{1}{2}$ Set the 2^d. sec. cor. post from which
a B. Oak 20 in dia. bears S $\frac{1}{2}$ E 4 $\frac{1}{2}$ th. dist,
& a Hickory 20 " " " N 15 W 232 " "
80.41 To the sections corner, Land is
first rate principally prairie
scattered W. B. Oak & Hickory in

North Between sections 20 & 21,
40.00 Set the 2^d. sec. cor. post in prairie
where raise a mound
80.00 Set a post cor. to sec. 16. 19. 20 & 21
where raise a mound in prairie
Land chiefly dry prairie & 2^d rate

East On Random between sec. 16 & 21
80.17 To the E. line of sec. at post,

West Correct the line between sec. 16 & 21
40.08 $\frac{1}{2}$ Set the gr. sec. cor. post from wh,
no bearings but raise a mound
80.17 To the sections corner,
Land principally prairie 2^d rate

North Between sections 16 & 19
40.00 Set the gr. sec. cor. post in mound
80.00 Set a post cor. to sec. 8. 9. 16 & 19
in prairie where raise a mound
Land level 2^d rate & prairie

East On Random between sec. 9 & 16

T. 29 N. R. 4 W. 2nd Mer. Ind.

E. L.
80.50 To the E. line of sec. 20 th. N. of post,

West Correct the line between sec. 9 & 16
40.25 Set the gr. sec. cor. post in mound
80.50 To the section corner
Land level & 2nd rate prairie

North Between sections 8 & 9,
40.00 Set a gr. sec. cor. post in prairie
where raise a mound,
80.00 Set a post cor. sec. 4, 5, 8 & 9 in do,
where raise a mound,
Land level & 2nd rate prairie

East On Random between sec. 4 & 9
81.23 To the E. line of sec. 10 th. N. of post

West Correct the line between sec. 4 & 9
40.61½ Set the gr. sec. cor. post from wh.
no bearings but raise a mound
81.23 To the section corner,
Land level & 2nd rate prairie

North Between sections 4 & 5
40.00 Set the gr. sec. cor. post in prairie
where raise a mound
73.20 To the st. boundary at post,
June 1st 1834. —

North Between sections 31 & 32
20.96 To a W. Oak 24 in. dia. in the line
34.73 " " B. Oak 10 " " " " "
60.00 Set the gr. sec. cor. post from which
a B. Oak 8 in. dia. bears N 85 E 4.54 th.

T. 29 N. R. 4 W. 2^d. New Ind^a.

258

C. L.
40.00 Set the 2^d sec. cor. post from which
a Black 8 in. dia. beam. N 85 E 454 lbs.
La Do. 6 " " " N 8 W 150 " dish
42.00 To a Road from Lafayette to Michigan
city - corner of E. & N.W.
80.00 Set a post cor. to sec. 29, 30, 31 & 32
a Black 24 in. dia. beam S 77 W 128 lbs.
La Do. 30 " " " S 69 W 189 "
Land level dry farming & the timber,
is B & W. Oak &c

East On Random between sections 29 & 32
81.08 To the E. line of sec. 12 W. S. of post

West Correct the line between sec. 29 & 32
40.54 Set the 2^d sec. cor. post in water.
no bearings nor. mound
81.08 To the sections corner,
Land is generally wet prairie

West On Random between sec. 30 & 31
69.50 To the Lafayette road
82.25 To the W. boundary. 110 lbs. S. of post

East Correct the line between sec. 30 & 31
12.75 To the Lafayette road
42.25 Set the 2^d sec. cor. post from wh.
a W. Oak 24 in. dia. beam S 81 W 140 lbs.
La Do. 30 " " " S 79 W 650 "
82.25 To the sections corner,
Land level sweet prairie. grows of
W. Oak & Bl. Oak &c

North Between sections 29 & 30

T. 29 N. R. 4 W. 2nd Mer. Ind. a.

6. Sec 40.00	Set the Dr. sec. cor. post in prairie where raise a mound,
80.00	Set a post cor. to sec. 19. 20. 29 & 30 a W. Oak 30 in. dia. - bears S 67° 01' 11" W. 1/2 mi. La No. 24 " " " " N 66° 08' 33" W. 1/2 mi. Land 1 st rate dry prairie some growth of White & Bl. Oak timber,
East 81.42	On Random between sec. 20 & 29 To the E. line of sec. 64 1/2 mi. N. of post
West 40.71 81.42	Correct the line between sec. 20 & 29 Set the Dr. sec. cor. post in mound To the section corner, Land rolling dry prairie & 2 nd rate
West 82.75	On Random between sec. 19 & 30 To the W. boundy. 82 1/2 mi. S. of post,
East 42.75 82.75	Correct the line between sec. 19 & 30. Set the gr. sec. cor. post in mound To the section corner, Land level sweet prairie
North 40.00 80.00	Between sections 19 & 20, Set the gr. sec. cor. post in mound Set a post cor. to sec. 17. 18. 19 & 20 Land is rolling dry prairie in mound
East 82.40	On Randoms between sec. 17 & 20 To the E. line of sec. 34 1/2 mi. N. of post.
West 44.20	Correct the line between sec. 17 & 20 Set the gr. sec. cor. post in mound

T. 29. N. R. 4 W. 2nd. New, Ind.

6. S.
82.40 To the Section's Corner,
Land rolling & dry prairie

West On Random between sec. 18 & 19
82.30 To the W. boundary, 80 lbs. S. of post

East Correct the line between sec. 18 & 19
42.30 Set the 2nd sec. cor. post in prairie
where raise a mound,
82.30 To the section's corner,
June 2nd 1834.

North Between Sections 17 & 18,
40.00 Set the 2nd sec. cor. post. in prairie
where raise a mound
80.00 Set a post cor. to sec. 7, 8, 17 & 18,
in prairie where raise a mound
Land level prairie & 2nd rate,

East On Random between sec. 8 & 17
82.39 To the E. line of sec. 7 lbs. S. of post,

West Correct the line between sec 8 & 17
41.19½ Set the 3rd sec cor. post in mound
82.39 To the section's corner,
Land level & 2nd rate prairie

West On Random between sec. 7 & 18
82.91 To the E. line of sec. 2, 15 lbs. S. of post,

East Correct the line between sec. 7 & 18
42.91 Set the 4th sec. cor. post in mound
82.91 To the section's corner,
Land 2nd rate prairie, —

T. 29 N. R. 4 W. 2nd. New Ind^a

C. B. North	Between sections 7 & 8
40.00	Set a gr. sec. cor. post in prairie where raise a mound
80.00	Set a post cor. to sec. 5, 6, 7 & 8, in prairie where raise a mound Land level 2 nd rate prairie
East	On Random between sec. 5 & 8, 81.76 To the E. line of sec. 1 S. of post 77 lbs.
West	Correct the line between sec. 5 & 8, 40.98 Set the gr. sec. cor. post in prairie where raise a mound
81.96	To the sections corner, Land level & dry prairie
West	On Random between sections 6 & 7 83.58 To the (W. line). With boundy. 155 lbs, south of post,
East	Correct the line between sec. 6 & 7 43.58 Set the Dr. sec. cor. in prairie where raise a mound
83.58	To the sections corner, (=prairie Land level post wet & park dry =
North	Between sections 5 & 6 40.00 Set the gr. sec. cor. post in prairie where raise the mound
74.00	To the N. boundy. of Township 94 lbs. E. of post where made mound Set a post in it. Land level & first rate prairie (cor. sec. 5 & 6.

262

T. 29 N. R. 4 W. 2nd New Ind.

This book contains a true copy
of the field notes of this township
to which it refers. —

Robt Hanna. Dep. Sur,

I certify that the foregoing trans-
cript of field notes of Township
29 North Range 4 West 2nd New Ind.,
has been compared with the original
in this office & found to be correct,

Sur. Genl.

Surveyor General's office,
Cincinnati. May 13th 1842.